


Name: _____


Dynamics Provincial Exam Review Questions

1. A 45kg woman is standing in an elevator that is accelerating downwards at 2.0m/s^2 . What force (normal force) does the elevator floor exert on the woman's feet during this acceleration?
2. A 15kg block is pushed up a 35° incline. A friction force of 110N exists between the block and the incline.



What minimum force F would be necessary to move the block up the incline at a constant speed?

3. An object is sliding down an inclined plane at a constant speed.



Which of the following represents the free-body diagram for the object?

A.



B.



C.




D.



4. A book is at rest on a desk. Which of the following statements concerning the book is correct?


- A. The desk exerts no force on the book.
- B. The book exerts no force on the desk.
- C. There are no forces acting on the book.
- D. The forces acting on the book are balanced.

5. An 810kg dragster is being decelerated by a parachute at 2.5m/s^2 as shown in the diagram.



What is the tension in the cord at this moment?

6. The system of blocks on a frictionless surface in the diagram below is accelerating at 2.0m/s^2 .







What is the tension in the cord at **X**?

7. A curling rock is travelling to the right across the ice as shown in the diagram.



Which of the following best represents the forces acting on the curling rock?

- A.  B.  C.  D. 

8. A constant net force acting on an object results in the object having a constant


- A. velocity.
- B. momentum.
- C. acceleration.
- D. displacement.

9. An object is fired up a frictionless ramp as shown in the diagram.




If the initial velocity is 35m/s, how long does the object take to return to the starting point?

10.




What is the force F provided by the rotor?

11. A 15kg block has a constant acceleration of 2.2m/s^2 down a 30° incline.




What is the magnitude of the friction force on the block?

12. A 15kg cart is attached to a hanging 25kg mass. Friction is negligible.




What is the acceleration of the 15kg cart?

13. A 15kg block on a horizontal surface has a 100N force acting on it as shown.



What is the normal force?


14. An 18kg cart is connected to a 12kg hanging block as shown (ignore friction).



a) Draw and label a free body diagram for the 18kg cart.


b) What is the magnitude of the acceleration of the cart?

15. Two masses are connected by a light string over a frictionless massless pulley. There is a coefficient of friction of 0.27 between mass m_1 and the horizontal surface.



- Draw and label a free body diagram showing the forces acting on mass m_1 .
- What is the acceleration of mass m_2 ?


16. A block is on a frictionless incline.



Which of the following is a correct free body diagram for the block?


- A. B. C. D.

17. A cart on a frictionless surface is attached to a hanging mass of 8.2kg.



If this system accelerates at 3.5 m/s^2 , what is the mass m of the cart?


18. A 35N force applied at 21° to the horizontal is used to pull a mass as shown.



a) Draw a free body diagram showing the forces acting on the mass.


b) What is the acceleration of the mass?

19. An object of mass, m , is suspended by two cords connected to a wall and to a 5.0kg block resting on a table as shown.






A coefficient of friction of 0.47 exists between the 5.0kg block and the table. What is the maximum mass, m , that can be hung from the cords before the 5.0kg block begins to move?

20. Two objects are connected as shown. The 12kg cart is on a frictionless 42° incline while the 15kg block is on a horizontal surface having a coefficient of friction $\mu = 0.23$.



Determine the acceleration of the system of masses.

Dynamics Provincial Exam Review Answers

1. $3.5 \times 10^2 \text{ N}$ (Jan. 2001 #5)
2. $1.9 \times 10^2 \text{ N}$ up (Jan. 2001 #6)
3. D (Jan. 2001 #4)
4. D (Aug. 2000 #1)
5. $2.0 \times 10^3 \text{ N}$ (Aug. 2000 #2)
6. 8.0 N (Aug. 2000 #3)
7. D (June 2000 #5)
8. C (June 2000 #4)
9. 7.9 s (June 2000 #2)
10. $5.9 \times 10^4 \text{ N}$ (June 1999 #4)
11. 41 N (June 1999 #5)
12. 6.1 m/s^2 (June 1999 #3)
13. 47 N (June 1999 #2)
14. a)  b) 7.3 m/s^2 (Aug. 1999 #1LA)
15. a)  b) 5.7 m/s^2 (Jan. 2000 #1LA)
16. D (Jan. 1999, #4)
17. 15 kg (Jan 1999 #5)
18. a)  b) 3.5 m/s^2 (Jan. 2001 #1LA)
19. 3.8 kg (Jan. 2001 #3LA)
20. 1.7 m/s^2 (Jan. 1999 #1LA)